

**GENERAL DATA**

Family : Footwear
Range : Workboots
Business Countries
EMEA

Product Use :

A combination of innovative materials, premium leathers and new technologies to offer the best in protection in a light, robust and comfortable safety shoe.

Professions :

Technical support and maintenance
Agriculture, Gardening and forestry
Construction managements
Heavy construction
Building and finishing craftsmen
Production and industrial sites
Engineering and management

PRODUCT ADVANTAGES

Feature :

- Premium oiled full grain leather
- Water resistant
- Exclusive Timberland PRO lacing system
- Comfort engineered ankle padding
- Wide padded tongue
- High and ergonomic leather gusset
- Hydrophobic laces
- Coolmax lining
- Insole composed with vegetal leather and recycled foam
- PU/TPU injected outsole
- Non metallic toe cap
- Antistatic and non metallic anti perforation midsole

Benefit :

- Premium leather for comfort and robustness
- Exclusive lacing system to adapt the support and the lacing efficiency
- Gusseted tongue keeps out job site dirt and debris
- Coolmax lining and qualitative insole to keep feet dry
- Antistatic textile anti-puncture midsole offers puncture resistance whilst remaining extremely flexible
- Injected construction outsole ensures:
 - Optimal resistance to abrasion
 - Slip resistance
 - Lightness
 - Flexibility
 - Excellent shock absorbing

TECHNICAL DESCRIPTION

Description :

- Premium oiled full grain leather
- Water resistant upper
- Non metallic toe cap
- Non metallic anti perforation midsole
- Non metallic eyelets
- Exclusive Timberland PRO lacing system
- Hydrophobic laces
- Ankle padding
- Gusseted tongue
- Insole composed with vegetal leather and recycled foam
- Coolmax lining
- TPU reinforcement
- PU/TPU injected outsole

Sizes :

UK Sizes: 6-12 EU Sizes 40-47

Color :



Pictos



ADDITIONAL INFORMATION

Life Cycle :

If the footwear is supplied with a part of, or the whole sole unit made of polyurethane:

We advise that the footwear should be used in the limit of 3 years following the manufacturing date, which figures on the footwear. After this time limit, certain factors such as : exposure to sunlight, hydrometry, temperature changes, could cause a modification in the structure of the material, which would no longer maintain the same performance levels with regards to the requirements defined in the European Directive 89.686 CEE.

If the footwear is supplied with a sole unit made from a material other than polyurethane:

We advise that the footwear should be used in the limit of 5 years following the manufacturing date, which figures on the footwear.

Storage Information :

Footwear should be stored in their original packaging, kept in a controlled stock area, not subject to rapid changes in temperature or humidity levels.

Care Instruction :

After use leave your footwear to dry in an aired place away from heat.

Remove any excess dust or dirt with a brush.

Remove any marks using a damp cloth and soap if necessary.

Finally polish any grain or pigmented leathers using a commercially available shoe care product.

CONFORMITY AND CERTIFICATION

EC Category PPE* : No defined PPE category

Standards :

EN ISO 20345-S3

Tagging :

6201061 SNYDERS

CE EN ISO 20345:2007 S3 SRC

*PPE : Personal Protective Equipment

EC CONFORMITY DECLARATION

The manufacturer or its legal representative supplier settled in the European Community:

Declares that the next Personal Protective Equipment described here after is in conformity with the provisions of Council Directive 89/686/CEE:

Designation: SNYDERS

Reference: 6201061

Standard(s): EN ISO 20345-S3

This PPE is the object of the above EC attestation type:

Delivered by:

Made at VALENCE, on the 06/26/2009

By: