

In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers:

CE TYPE EXAMINATION CERTIFICATE 0075/1465/162/03/11/0125 - EXT 01/03/11

To the following model of personal protective equipment:

* protective glove against

mechanical risks, cold risks.

* reference of the model :

A145

* distributor:

PORTWEST LTD

PORTWEST HOUSE,WESTPORT BUSINESS&TECHNOLOGY PARK,WESTPORT,CO MAYO, IRELAND

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on March 16th, 2011

Issued by Lionel GAUDILLERE

4, rue Hermann Frenkel

59367 Lyon Cedex 07 - France

NOTA: Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress change of provided 3 lates in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress change of provided 3 lates in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress change of provided 3 lates in the manufacturer technical file which served for the deliverance of the CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress change of provided 3 lates in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress change of provided 3 lates in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress change of provided 3 lates in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress change of provided 3 lates in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress change of adress chang



1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference: A145

Minor Variant of the model:1000

Dated: March 2011

100% ACRYLIC LINER WITH LATEX COATED

Available sizes:

8/M 9/L 10/XL 11/XXL

Visual description:



Material:

	Colour	Material	Gauges	Thikness
PALM	BLUE	LATEX		
	ORANGE	ACRYLIC	7	
BACK	ORANGE	ACRYLIC	7	
LINING				
CUFF	ORANGE	ACRYLIC	7	
BINDING	RED/GREEN/PINK/D ARK BLUE/LIGHT BLUE/WHITE	POLYESTER		



2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009
- General requirements for gloves and test methods
- * EN 388:2003
- Protective glove against mechanical risks
- * EN 511 : 2006
- Protective gloves against cold
- * Directive 2002/61/CE :
- This product fulfills the requirements given by the Directive.

References of test reports performed in order to verify the compliance with the requirements of the technical rules:

Laboratory	CTC Asia	CTC France	Other
EN 420	SH61039-10 SH60544-10 SH60545-10		
Azo	SH60545-10 SH60544-10		
EN 388	SH60462-10		
EN 511			SH60420R-10

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
1	2	3	1

The levels of performance have been measured on the palm

Performance levels offered against cold (EN 511:2006) are:

Convective cold	Contact cold	Water penetratio
Х	1	Х