

A.N.C.I. Servizi S.r.l.

Sede legale e amministrativa
20149 MILANO
Via Monte Rosa, 21
Tel. 02.438291
Fax 02.48005833
Cap. Soc.: € 10.400 i.v.
C.E./P.I.: 07199040150
Reg. Imprese n° 229059
Trib. di Milano
R.E.A. n° 1147818



CIMAC
Centro Italiano
Materiali di Applicazione
Calzaturiera



PRD N° 0171 B

Sede operativa: 27029 VIGEVANO (PV) - C.so G. Brodolini, 19 - Tel. 0381.84722 - Fax 0381.73393 - E-mail: documentazione@cimaonline.com - Internet: <http://www.cimaonline.com>

According to the EEC instructions 89/686 dated 21st of December 1989, concerning the standardisation of legislation of all member countries with regard to individual protection systems and the relative legislative decree dated 4th of December 1992, N° 475,

A.N.C.I. Servizi s.r.l. - C.I.M.A.C. section
CENTRO ITALIANO MATERIALI DI APPLICAZIONE CALZATURIERA
Community Identification N° 0465

grants:

EC TYPE-EXAMINATION CERTIFICATE
MODULE B – EC TYPE-EXAMINATION
N° 0161/22452/15

for the following model of Personal Protective Equipment for II category:

Low safety shoe art. "CUPIDO S1P SRC"

Manufacturer (see notes):

EXENA SRL

VIA BREDA 7/A Z.I.A
62012 CIVITANOVA MARCHE MC
ITALY

Vigevano, 25/05/2015

Responsible of EC certification of PPE
of the foot and leg
Pietro Biglia

Technical Responsible
Giuseppe Bellotti

1. Description of personal protective equipment:

PPE Category: second category

Type of PPE: safety footwear for professional use according to EN ISO 20345:2011 standard

Design: A - Low shoe

Classification: I - Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

Size range: from 37 to 48 (French size)

Identification of last: C18925

Manufacturing process: Injection

The footwear has a:

- non metallic toecap cod. "AC001.805"
- non metallic penetration-resistant insert cod. "SIF009.07"
- removable insock cod. "AC001.779STP"





PRD N° 0171 B

Centro Italiano
Materiali di Applicazione
Calzaturiera

CIMAC



2. The tests and the examinations to verify the conformity of the article (in compliance with art. 10 of Directive 89/686/EEC – Decision 768/08/EC Module B) are performed applying the following harmonized standards and the Regulation 1907/2006/EC Annex XVII and subsequent amendments and integrations:

- EN ISO 20344:2011 – Personal protective equipment – Test methods for footwear.
- EN ISO 20345:2011 – Personal protective equipment – Safety footwear.

3. The results of tests and examinations are contained in the following test reports:

C.I.M.A.C.	RP 2015\0950-1-RP-2	dated	25/05/2015
C.I.M.A.C.	RP 2015\0950-1-RP-3	dated	25/05/2015
C.I.M.A.C.	RP 2015\0950-1-RP-4	dated	25/05/2015

4. Requirements of the personal protective equipment:

The low safety shoe art. "CUPIDO S1P SRC" complies with:

the basic requirements for safety footwear specified in table 2 of EN ISO 20345:2011 standard;

the additional requirements for special applications specified in table 18 of EN ISO 20345:2011 standard:

(Category S1–P)

- heel area closed;
- antistatic properties;
- energy absorption of seat region;
- penetration resistance of sole complex;
- fuel oil resistant outsole;
- cleated outsole.

The shoe complies with what prescribed by EN ISO 20345:2011 standard concerning the slip-resistance of the outsole, "SRC" requirement.

In the model of Personal Protective Equipment and its components was not detected the presence of dangerous substances listed in Annex XVII of Regulation 1907/2006/EC and subsequent amendments and additions.



PRD N° 0171 B

Centro Italiano
Materiali di Applicazione
Calzaturiera

CIMAC



5. Marking of the personal protective equipment:

The following information is reported on the footwear in a durably and indelibly marked:

- the “CE” mark
- date of manufacture (month and year)
- manufacturer’s type designation: CUPIDO
- the number and year of the reference European standard: EN ISO 20345:2011 (see notes)
- the symbols appropriate to the protection provided: S1-P-SRC (see notes)
- manufacturer’s identification mark: “EXENA”
- size.

6. Notes:

- “*making available on the market*” shall mean any supply of a product for distribution, consumption or use on the Community market in the course of a commercial activity, whether in return for payment or free of charge.
- “*placing on the market*” shall mean the first making available of a product on the Community market.
- “*manufacturer*” shall mean any natural or legal person who manufactures a product or has a product designed or manufactured, and markets that product under his name or trademark.
- “*authorised representative*” shall mean any natural or legal person established within the Community who has received a written mandate from a manufacturer to act on his behalf in relation to specified tasks.
- “*harmonised standard*” shall mean a standard adopted by one of the European standardisation bodies listed in Annex I to Directive 98/34/EC on the basis of a request made by the Commission in accordance with Article 6 of that Directive.
- “*accreditation*” shall mean an attestation by a national accreditation body that a conformity assessment body meets the requirements set by harmonised standards and, where applicable, any additional requirements including those set out in relevant sectoral schemes, to carry out a specific conformity assessment activity.
- “*conformity assessment*” shall mean the process demonstrating whether specified requirements relating to a product, process, service, system, person or body have been fulfilled.
- “*recall*” shall mean any measure aimed at achieving the return of a product that has already been made available to the end user.
- “*withdrawal*” shall mean any measure aimed at preventing a product in the supply chain from being made available on the market.
- “*CE marking*” shall mean a marking by which the manufacturer indicates that the product is in conformity with the applicable requirements set out in Community harmonisation legislation providing for its affixing.
- The content of this EC Type-Examination Certificate is referred to the tested personal protective equipment only.
- This EC Type-Examination Certificate may be integrally duplicated; the copy must be faithful, legible (if pint size) and must contain the bold caption “TRUE COPY”.