



6038



Module B EU Type-Examination Certificate

For the requirements of the PPE Regulation 2016/425

CERTIFICATE NUMBER	CE-C-1101-18-136-09-9A
DATE OF ISSUE	2019.01.04
DATE OF REVISION	2019.01.04
DATE OF EXPIRY	2024.01.03
NAME AND ADDRESS OF MANUFACTURER:	Portwest Ltd. Portwest House, Westport Business and Technology park, Westport, Co Mayo. Ireland
PRODUCT/RANGE DESCRIPTION:	Fall Protection-Connectors
TYPE AND MODEL:	See Annex 2
APPLICABLE STANDARDS AND SPECIFICATIONS:	EN362:2004-Fall Protection-Connectors
THESE ANNEXES FORM PART OF THIS CERTIFICATE:	Annex 1 and 2

Approved by: JY. Liu - Managing Director

Date: 2019.01.04

Appointed by UK Government
as a Notified Body
for CE Marking No. 1105

CCQS UK Ltd.
5 Harbour Exchange, London, E14 9GE, UK
Tel: +44 (0) 20 7868 1509
Email: info@ccqs.co.uk
Website: <http://www.ccqs.co.uk>





6038

ANNEX 1

OF CERTIFICATE: CE-C-1101-18-136-09-9A



Revision Index

CERTIFICATE NUMBER	PAGES AMENDED	REVISION DATE	REVISION DETAILS
CE-C-1101-18-136-09-9A	All	2019.01.04	Initial issue

CCQS Certification Terms and Conditions

1. The product(s) on this certificate and the Technical File have been assessed and found to be in conformance with the applicable Essential Health and Safety Requirements in Annex II of the PPE regulation 2016/425.
2. Any changes to the design, manufacturing location or manufacture of the PPE product certified here must be advised to CCQS UK Ltd. for review.
3. CE marking shall not be applied until the requirements of all the PPE Regulation 2016/425 and relevant EN Harmonised standards and/or Technical specifications have been met.
4. This certificate remains the property of CCQS and maybe withdrawn at any time if it is considered that the equipment is no longer in conformity with the requirements of the PPE Regulation 2016/425.
5. If in any doubt about the integrity of this certificate, please email info@ccqs.co.uk



6038

ANNEX 2

OF CERTIFICATE: CE-C-1101-18-136-09-9A



APPLICABLE STANDARDS AND SPECIFICATIONS -

EN362:2004-Fall Protection-Connectors

MODEL REFERENCE	PRODUCT DESCRIPTION
FP30	Connector – Carabiner Class B 19mm Gate opening Major axis strength 25kN

Where applicable this product can be supplied in a range of yarn colours. These will be detailed in the Declaration of Conformity and are retained in the corresponding Technical Files.