FULL BODY HARNESS

Ref. 2168

CONSTRUCTION, ROOFS, CONFINED, PLATFORMS

Fall arrest harness featuring great comfort and functionality with an integrated padded vest that wraps around the upper body. The leg loops feature our new proprietary STS automatic buckles which make the harness very easy to put on and take off.

Equipped with two removable front zip-pockets. The Easy Belt (ref. 1268) can be attached for work positioning.

2 attachment points for fall arrest: 1 sternal double textile loop, 1 dorsal steel ring. Two gear loops.

Equipped with NFC TRACK tag for digital identification.

One size fits all.





Ref.	Product name	Size	Weight		Chest om	Legs cm	Height cm	CE	ERE	Attachment points
			g	oz	A (cm)	C (cm)	D (cm)	EN 361		
2168	SWIFTY VEST	One size	1270	44.8	80-140	45-75	55-85	•	•	



SWIFTY VEST

FULL BODY HARNESS

Ref. 2168

CONSTRUCTION, ROOFS, CONFINED, PLATFORMS

- Vest that wraps back and shoulders of the user for a unique comfort. It also allows easier wearability.
- 2 Large pockets with zip closure and reflective piping. Detachable by velcro closure.
- 3D mesh construction for best breathability. Thickness: 3 mm.
- Large net on the back part for best breathability.
- "A/2" Fall arrest attachment points with identification label. Strength > 15 kN.
- 6 Main webbing made from polyester, 44 mm wide. Double colour for a easy identification of chest part and legloops.
- 0 Fast adjustment steel buckles. Detachable.
- Ohest fastening plastic buckle.
- High strength stitchings made of polyamid thread.
- Two side gear loops, 10kg Max.
- Side crossing plates for improved size adjustment.
- CE label with serial number and batch number.
- "STS" automatic buckles
- ❷ Back fall-arrest D ring made of zinc plated steel, fastened by a plastic plate. Strength > 15 kN
- © Polyester webbing that avoids the leg-loops to slide down during work activities.
- 6 Back plastic buckles for the adjustment of the vest.
- The chest webbing can be inserted in two different buckles of the shoulder part of the vest for the adjustment of the size.
- B Equipped with NFC TRACK tag for digital identification.









NFC Track | G.T.S.

C.A.M.P. presents in this catalog a **complete solution for the digital management of PPE**, both for allocation to users and for periodic inspections: the **NFC TRACK hardware tags on the products** work seamlessly with the **G.T.S. - Gear Tracking System software** to make the system very intuitive and easy to use.



NFC TRACK chips are installed on many C.A.M.P. products (harnesses, helmets, Retexo lanyards). They **can also be attached directly on any PPE** by the user, so that the user can assign the PPE data to the chip by means of the C.A.M.P. G.T.S.

NFC (Near Field Communication) technology is now present on most smartphones and used every day for smart payments. Today, it also represents the future for the individual identification of products.

The **HF RFID** (High Frequency Radio Frequency Identification) communication system on which NFC is based allows the C.A.M.P. NFC TRACK to be easily read using any latest generation smartphone or for professionals using a PC reader.

NFC TRACK chip installed!



-G.T.S.- GEAR TRACKING SYSTEM

G.T.S. allows professionals to easily manage PPE both via the smartphone app (available on Play Store and Apple Store) and from a PC via the web app.

Two different packages allow for carrying out periodic inspections and also for managing the company allocation of PPE to its employees.

The database of **G.T.S.** includes the technical information of all **C.A.M.P.** products for work at height and a large number of other products posted by other users of the community with publicly available information.



