

TECHNICAL SHEET

G-TEK® KEV™ SEAMLESS KNIT KEVLAR® BLENDED GLOVE WITH NITRILE COATED FOAM GRIP ON PALM & FINGERS — 18 GAUGE, TOUCH SCREEN COMPATIBLE

- Seamless knit construction provides comfort without sacrificing dexterity
- Kevlar® fiber shell provides high tensile strength relative to its weight, is inherently cut resistant and will not melt, ignite or conduct electricity
- Neofoam™ coated palm and fingertips offers great abrasion resistance and outstanding wet/dry grip
- Knit wrist helps prevent dirt and debris from entering the glove
- 18 gauge liner for maximum dexterity
- · Cotton color binding denotes sizing
- Launderable for extended life and to reduce replacement costs

APPLICATIONS

- Material handling
- General assembly
- Sanitation
- General maintenance
- Woodworking
- Waste handling
- Fishing industries
- Recycling

CARE INSTRUCTIONS

Machine wash in warm water with detergent. Rinse well and spin extract using high speed. Tumble dry on low to medium heat setting. Can be dry cleaned. Do not bleach.

TECHNICAL DATA

MATERIAL	Kevlar® / Nylon / Spandex / Steel Fiber / Neofoam™ Coating					
CONSTRUCTION	Seamless knit					
COLOR	Shell: ■ Gray / Coating: ■ Black					
WRIST STYLE	Elastic knit					
SIZES	7 -11					
PACKAGING	1 pair per bag, 12 pairs per dozen, 72 pairs per case					
CASE DIMENSIONS	15" x 12.2" x 9.8" / 38cm x 31cm x 25cm					
CASE WEIGHT	7	8	9	10	11	
	6.6 lbs	7.3 lbs	7.7 lbs	8.8 lbs	9.5 lbs	
	3 kgs	3.3 kgs	3.5 kgs	4 kgs	4.3 kgs	
C00	China					

PERFORMANCE PROPERTIES

EN388: 4X431C	ASTM F2992-15 ANSI Cut Level A4 (Adopted by ANSI/ISEA 02/16)					
ABRASION	0	1	2	3	4	-
CUT (2003)	Х	1	2	3	4	5
TEAR	0	1	2	3	4	-
PUNCTURE	0	1	2	3	4	-
CUT (13997)	А	В	C	D	Е	F









DIMENSIONS (IN/CM)

	7	8	9	10	11
Α	8.9 / 21.8	9.4 / 22.8	9.8 / 23.5	10 / 24.8	10.4 / 25.8
В	3.3 / 8.5	3.5 / 9	3.7 / 9.5	4 / 10.2	4.2 / 10.6
Н	Red	Yellow	■ Brown	■ Black	Blue

