

# **EU-TYPE EXAMINATION CERTIFICATE**



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/2085/161/05/24/1133

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Manufacturer: Portwest UC

IDA Industrial Park, Westport, Co Mayo F28 FY88, Ireland

**IRELAND** 

Description

**PPE Type:** a safety footwear

**Product reference: FC72** 

Article code: **BKR, NAR** 

Construction and material of outsole: injected; pu/pu outsole

Pictures:







FC72 NAR

FC72 BKR





FC72 NAR

FC72 BKR

Reference standard: EN ISO 20345:2022

Classification: I Category: S3S SR FO

Size range: 34-50

**Toecap nature: Non Metallic Insert nature: Non Metallic** 

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from MAY 2024 and the user instructions index Version 2023-12-20.

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this

Issued in Lyon by

Séverine AUBERT

MARKIN

Certification team leader

Date of first issue: 29 May 2024 End of validity date: 29 May 2029



Equipment and repealing the Directive 89/686/EEC.

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective

www.ctcgroupe.com

cemarking@ctcgroupe.com





## **Portwest UC**

# **MANUFACTURER'S TECHNICAL FILE**

**Reference of the product:** FC72

Article code: BKR, NAR

Technical file index: 01

Last update: MAY 2024

# **IDENTIFICATION**

Reference of the product: FC72 Article Code: BKR, NAR

Technical file index: 01

Last update: MAY 2024

### Manufacturer

Portwest UC

IDA Industrial Park, Westport, Co Mayo F28 FY88, Ireland

**IRELAND** 

Tel: +353 (98) 26411

Fax:/

### **Factory**

ZHEJIANG XINCAIHONG PROTECTIVE EQUIPMENT CO., LTD

NO.4908 BINHAI 3RD LANE, AIRPORT NEW ZONE, YONGXING STREET, LONGWAN DISTRICT, WENZHOU, ZHEJIANG

**CHINA** 

Tel: 86-577-56956788 Fax: 86-577-86100878

# **FOOTWEAR DESCRIPTION**

### Footwear description

The classification of this footwear is I: Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear.

The design of this footwear is A: low shoe.

### **Visual description**

### General view:



FC72 NAR FC72 BKR

#### Outsole view:



FC72 NAR FC72 BKR

Reference of the mould: 9200

## Range of sizes

34-50

### **Construction and material of outsole**

injected; pu/pu outsole

### Field of use

construction, warehouse, supermarket - for mechanical risk

# Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable		Covered by
			$\boxtimes$	Standard
§1	Requirements defined in the Annex II §1 are applicable to all PPE		$\boxtimes$	Instruction for use
			$\boxtimes$	Marking
§1.4	Manufacturer's instructions and information is available		$\boxtimes$	Standard
		$\boxtimes$	$\boxtimes$	Instruction for use
				Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	$\boxtimes$	$\boxtimes$	Standard
			$\boxtimes$	Instruction for use
				Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	×	$\boxtimes$	Standard
				Instruction for use
				Marking
	PPE is intended for use in potentially explosive atmospheres		$\boxtimes$	Standard
§2.6		$\boxtimes$	$\boxtimes$	Instruction for use
			$\boxtimes$	Marking
	PPE incorporating components which can be adjusted or removed by the user		$\boxtimes$	Standard
§2.9			$\boxtimes$	Instruction for use
				Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	$\boxtimes$	$\boxtimes$	Standard
			$\boxtimes$	Instruction for use
			$\boxtimes$	Marking
	Multi-risk PPE	$\boxtimes$	$\boxtimes$	Standard
§2.14			$\boxtimes$	Instruction for use
			$\boxtimes$	Marking
	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	$\boxtimes$	$\boxtimes$	Standard
§3.1.1			$\boxtimes$	Instruction for use
				Marking
	The PPE is intended to protect against falls due to slipping		$\boxtimes$	Standard
§3.1.2.1			$\boxtimes$	Instruction for use
			$\boxtimes$	Marking
	The PPE is intended to protect against static compression of a part of the body	$\boxtimes$	$\boxtimes$	Standard
§3.2				Instruction for use
				Marking
§3.3	The PPE is intended to protect against mechanical injuries	$\boxtimes$	$\boxtimes$	Standard
			$\boxtimes$	Instruction for use
			$\boxtimes$	Marking

## **FOOTWEAR CONSTITUTION**

	Reference	Material	Color
UPPER	LB345	3D TEXTILE WITH BACKING	BLACK/ GREY, BLACK/ GREY/ BLUE
	313	SUEDE MICROFIBER	BLACK
COLLAR	LB345	3D TEXTILE WITH BACKING	BLACK/ GREY, BLACK/ GREY/ BLUE
TONGUE	LB149	SANDWICH MESH	BLACK
VAMP LINING	LB211	NON-WOVEN FABRIC	WHITE
QUARTER LINING	LB149	SANDWICH MESH (QUARTER & HEEL AREA LINING; TONGUE LINING)	ORANGE, DK.GREY
INSOLE	FL266	NON-METALLIC INSERT/ INSOLE (TYPE PS)	WHITE/ ORANGE
INSOCK	STYLE1	TERRY + EVA, PERFORATED & REMOVABLE	BLACK/ GREY
OUTSOLE	9200	PU/PU OUTSOLE	BLACK/ ORANGE, BLACK
TOE CAP	604 NON-METAL	COMPOSITE TOECAP	WHITE
INSERT	FL266	NON-METALLIC INSERT/ INSOLE (TYPE PS)	WHITE/ ORANGE
		WEBBING (HEEL PULL LOOP & TONGUE)	BLACK/ ORANGE, BLACK/ BLUE
DECORATIVE ELEMENTS		TWILL FABRIC BINDING	BLACK
		LOGO COATING (QUARTER)	BLACK/ ORANGE, BLACK

## **PROTECTION SCOPE**

### **Basic requirements**

This product has been designed to be a safety footwear.

The applicable basic requirements are detailed in the following standard(s):

- EN ISO 20345:2022 Safety footwear

This product is a category II PPE.

At the date of the certificate, the product is in compliance with Annex XVII of the European REACh regulation (n° 1907/2006 and revisions)

### **Additional requirements**

The claimed additional requirements are:

- Closed seat region
- Cleated outsole
- Perforation resistance (non-metallic insert type PS)
- Antistatic footwear
- Energy absorption of seat region
- Slip resistance (ceramic tile with glycerine)
- Upper: Water penetration and absorption of upper material
- Outsole: Fuel oil resistance

## **MARKING - PACKAGING**

### Information marked on the footwear

- \* Logo of the Manufacturer
- \* Logo **(€**
- \* Manufacturer's name or commercial brand
- Manufacturer's postal address
- \* Manufacturer's type designation
- \* Size
- \* At least year and month of footwear manufacture
- \* The number and year of the applicable specific standard(s)
- \* The appropriate codes of marking according to the applicable requirements and additional protection and performance claimed

### Marking example



The location of the marking is: tongue lining

Method of marking on the footwear: stitching tongue lining

### **Packaging**

1pair/color shoe box, 10pairs/CTN

# References of test reports performed in order to verify the compliance with the requirements of the technical rules:

Laboratory	References	Laboratory	References
CTC	D200914095_1	CTC	D221126100_1
CTC	D210609922_1	CTC	D221228184_1
CTC	D210714178_1	CTC	D230101128_2
CTC	D210917199_1	CTC	D230406528_1
CTC	D211019485_1	CTC	D230509415_2
CTC	D211121285_1	CTC	D230512035_1
CTC	D211224332_1	CTC	D230817486_1
CTC	D220405335_1	CTC	D230921372_1
CTC	D220611539_2	CTC	D231024457_2
CTC	D220816053_1	CTC	D231126697_1
CTC	D220817425_1	CTC	D231126698_1
СТС	D220817752_1	СТС	D240101126_1

## **MEANS OF CONTROL**

1.To control the quality of raw materials follow the methods below:

We asked our suppliers to test their upper leather for Cr VI, PH and DMFu by themselves; asked lining suppliers to check tear strength, especially abrasion resistance; and the suppliers for toecaps and insert need to test impact/compression and penetration resistance for their components...after all raw material can reach relevant requirement, we will accept them and use in mass production.

- 2. During development, we will take some samples to check the main physical properties, such as impact, compression, slip resistance, antistatic and so forth, in order that we can control the quality from development and will avoid some additional troubles in the following steps; if the result can meet requirement, we will process forward; otherwise we need pay more attention to development for the better shoes;
- 3. We control the whole procedure from cutting to package. Every step, relevant QC will check the quality, the semi-finished goods and finished shoes will be discarded if cannot reach requirement of quality. Of course we take some samples from line to test bond strength, impact ect to confirm the mass production are under control. Finally, before shipment, the QC will perform the final inspection randomly, the shoes will be delivered in case the result is acceptable.
- 4. When do bulk the production each batch, we shall pick up some shoes from producing site randomly to test impact, compression, antistatics, leather CR VI.... to control the quality to match the requirment of standard EN ISO 20345:2022."

### PPE subject to ageing :

The design performance of this product can be affected by ageing. The peremption period is estimated at 4 years when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear...).

## Declaration of conformity:

The EU declaration of conformity can be accessed on the website: www.portwest.com/declaration